

Specification (Directional Boundary Microphone FR-1200 AC6)



Microphone		
MEMS	8	
Frequency Characteristic	60~7,000Hz	
Current Consumption	100mA	
Power Supply	USB Bus Power (DC5V)	
External Dimensions	H14.5 × ϕ 64.7mm	
Weight	Approx. 61g (excluding cable)	
Compatible OS	Windows 11	
Accessories	ϕ 3.5 stereo mini plug cable (approx. 1m) USB(A-C) cable (approx. 1m)	

Specification

(Directional Boundary Microphone FR-1200 AC6)



Software	
- Virtual Audio Driver	
Distribution Format	BAT file
System Requirements	Windows 11
- Control Application	
Distribution Format	MSI file
System Requirements	Windows 11

*This product is sold as a set of microphone and software.
Even customers who already own an FR-1200 will need to purchase this product separately.

Specification

(Bidirectional Boundary Microphone FR-1200)



	Bidirectional Boundary Microphone rubberbase-01	
Model	rubberbase-01	
External Dimensions	H13×φ86.4mm	
Weight	Approx. 70g	
Material	Rubber (with anti-slip)	
Accessories	—	

* This is an image of what it would look like if a microphone was installed. The microphone is not included in the cost.

* A stand that can accommodate all FR-1000, FR-1100, FR-1200 and FR-1200 AC6 products